




S O U S T R U H


S 32




O B R A Z O V Á Č Á S T








1200 kg


















3 042 62 0074


























1.	2	3	4	5	6						7		8
					1	2	3	4	5	6	6mm	1/4	
9	1:1		160 - 1000	A	0,03	0,04	0,05	0,07	0,09	0,11	25 80 80 100	25 120 127 100	 H
			250 - 1600	B	0,06	0,08	0,10	0,14	0,18	0,22			
			500 - 3150	C	0,12	0,16	0,20	0,28	0,36	0,44			
	8:1		20 - 125	A	0,24	0,32	0,40	0,56	0,72	0,88			
			31,5 - 200	B	0,48	0,64	0,80	1,12	1,44	1,76			
			63 - 400	C	0,96	1,28	1,60	2,24	2,88	3,52			
10	1:1		160 - 1000	A	0,01	0,013	0,017	0,023	0,03	0,037			
			250 - 1600	B	0,02	0,027	0,033	0,047	0,06	0,073			
			500 - 3150	C	0,04	0,053	0,067	0,093	0,12	0,147			
	8:1		20 - 125	A	0,08	0,107	0,133	0,187	0,24	0,293			
			31,5 - 200	B	0,16	0,213	0,267	0,373	0,48	0,586			
			63 - 400	C	0,32	0,427	0,533	0,747	0,96	1,22			
11	1:1		160 - 1000	A	0,375	0,5	0,625	0,875	1,125	1,375			
			250 - 1600	B	0,75	1	1,25	1,75	2,25	2,75			
			500 - 3150	C	1,5	2	2,5	3,5	4,5	5,5			
	8:1		20 - 125	A	3	4	5	7	9	11			
			31,5 - 200	B	6	8	10	14	18	22			
			63 - 400	C	12	16	20	28	36	44			
12	1:1		160 - 1000	A	0,375	0,5	0,625	0,875	1,125	1,375	71 100 113 80	47 96 76 80	 H
			250 - 1600	B	0,75	1	1,25	1,75	2,25	2,75			
			500 - 3150	C	1,5	2	2,5	3,5	4,5	5,5			
	8:1		20 - 125	A	3	4	5	7	9	11			
			31,5 - 200	B	6	8	10	14	18	22			
			63 - 400	C	12	16	20	28	36	44			
13	1:1		160 - 1000	A	24	32	40	56	72	88			
			250 - 1600	B	12	16	20	28	36	44			
			500 - 3150	C	6	8	10	14	18	22			
	8:1		20 - 125	A	3	4	5	7	9	11			
			31,5 - 200	B	1 1/2	2	2 1/2	4 1/2	4 1/2	5 1/2			
			63 - 400	C	3/4	1	1 1/4	2 1/4	2 1/4	2 3/4			
14	1:1		160 - 1000	A	24	32	40	56	72	88	71 127 113 96 - 26 39	71 100 113 80 - 26 39	 W
			250 - 1600	B	12	16	20	28	36	44			
			500 - 3150	C	6	8	10	14	18	22			
	8:1		20 - 125	A	3	4	5	7	9	11			
			31,5 - 200	B	1 1/2	2	2 1/2	3 1/2	4 1/2	5 1/2			
			63 - 400	C	3/4	1	1 1/4	1 3/4	2 1/4	2 3/4			
15	1:1		160 - 1000	A	3/128	1/32	5/128	7/128	9/128	11/128			
			250 - 1600	B	3/64	1/16	5/64	7/64	9/64	11/64			
			500 - 3150	C	3/32	1/8	5/32	7/32	9/32	11/32			
	8:1		20 - 125	A	3/16	1/4	5/16	7/16	9/16	11/16			
			31,5 - 200	B	3/8	1/2	5/8	7/8	1 1/8	1 3/8			
			63 - 400	C	3/4	1	1 1/4	1 1/4	2 1/4	2 3/4			

